

PROCESSING MACHINE FOR FLEXIBLE HOSES & RIGID PIPES
MACHINES D'ASSEMBLAGE POUR FLEXIBLES HYDRAULIQUES ET TUBE RIGIDE
MACCHINE PER L'ASSEMBLAGGIO DI TUBI FLESSIBILI E TUBO RIGIDO

PROCESSING MACHINE FLEXIBLE HOSES & RIGID PIPES

2021

DICSA
www.dicsaes.com

MACHINES FOR FLEXIBLES

MÁQUINAS PARA FLEXIBLES
MACHINES POUR TUYAU FLEXIBLE
MASCHINEN FÜR SCHLAUCH

Manual crimping machines

Prensas manuales
Presses manuelles
Handpressen

1

Electrical crimping machines

Prensas eléctricas
Presses électriques
Elektrische Pressen

2

Production crimping machines

Prensas eléctricas de producción
Presse de production
Elektrische Produktionspressen

3

High capacity crimping machines

Prensas eléctricas de alta capacidad
Presse électrique à haut rendement
Hochleistungspressen

4

Cutting machines

Cortadoras
Trongommeuse
Schneidemaschinen

5

Skiving machines

Peladoras
Dénudeuse
Schälmaschinen

6

Other machines

Otras máquinas
Autres machines
Andere Maschinen

7

Mobile workshop for hose assembly

Taller móvil para montaje de latiguillos
Bano de travail pour tuyaux flexibles
Mobile Werkstatt für Konfektionierung

8

Exhibition & Roll-Holder

Expositor y Portarrollos
Présentoir et dévidoir
Aussteller & Schlauchhaspel

9

MACHINES FOR RIGID TUBE

MAQUINARIA PARA TUBO RÍGIDO
MACHINES POUR TUBE
MASCHINEN FÜR ROHR

1

Deburring machine

Desbarbadora
Machine à ébavurer
Entgratemaschine

2

DIN 2353, JIC 37° & 90° pipe fittings assembly

Montaje racores DIN 2353, JIC 37° y 90°
Clontage de raccords DIN 2353, JIC 37° et 90°
Rohrmontage DIN 2353, JIC 37° und 90°

3

Bending machines

Dobladoras
Cintreuse
Biegemaschinen

4

Multi-functional unit

Centro de trabajo
Centre polyvalent
Multifunktionsmaschinen

MACHINES FOR FLEXIBLES

MÁQUINAS PARA FLEXIBLES
MACHINES POUR TUYAU FLEXIBLE
MASCHINEN FÜR SCHLAUCH

Manual crimping machines

Prensas manuales
Presses manuelles
Handpressen

1

HYDRAULIC HOSES · MANGUERA HIDRÁULICA

100 t +20 mm 59 mm
25 kg.



TrAde®
1" 3SP

PM16-SPEED-8J
PM16-8J

120 t +20 mm 65 mm
22 kg.



TrAde®
1" 4SP

PM18F-9J

140 t +25 mm 110 mm



TrAde®
1" 1/4 4SP

PM22-9J


450 bar 50 kg.



1/4" 1" 2SP
1/4" 3/4" 4SP

PHM2-12
PHM2-16

80 t +20 mm 59 mm
28 kg.



TrAde®
1" 2SP
3/4" 4SP
1/2" 6SP

PM 18 6J N

PNEUMATIC PUMP ON REQUEST BOMBA NEUMÁTICA BAJO CONSULTA



LOW PRESSURE · BAJA PRESIÓN

12 kg
+21 mm
10-13-16 mm



PBPH25

FREON

220 bar
Freon 5/8 19 kg



Garras para manómetros
Manometres dies

V00104000000

Electrical crimping machines

Prensas eléctricas
Presses électriques
Elektrische Pressen

240 bar / 92 ton



1/4 2SP
3/4 4SP

PEA-16

137 t +28 mm 100 mm

YOUR LOGO



TrAle
1" 1/4 4SP

SE 28 5J N/10J N

220 t +32 mm 130 mm

YOUR LOGO



TrAle
2" 4SP
1" 6SP

PE 38 15J NT

240 t +38 mm 118 mm

YOUR LOGO



TrAle
2" 4SP
1" 6SP

PE 38 12J N

350 t +54 mm 180 mm

YOUR LOGO



TrAle
2" 6SP
3" 2SP

PE 58 14J N
PE 58 14J 5.5 N

420 t +32mm 130 mm

YOUR LOGO



TrAle
2" 6SP

PE 50 17J NT

Production crimping machines

Prensas eléctricas de producción
Presse de production
Elektrische Produktionspressen

160 t +40 mm 110 mm



Sin grasa
Greaseless

1" 1/4 4SP
2" Indus.

HM225

340 t +70 mm 215 mm



Alta fuerza de prensado
High crimping force

3" 6SP
4" Indus

HM380

480 t +85 mm 212 mm



Largos diámetros de mordazas
Large dies available

3" 6SP
4" Indus

PCRIMP480

High capacity crimping machines

Prensas eléctricas de alta capacidad
Presse électrique à haut rendement
Hochleistungspressen

320 t +55 mm 260 mm



Apertura lateral
Lateral opening

6" Indus

XLCRIMP320

400 t +50 mm 285 mm



Ergonómica
Ergonomic

6" Indus

HM665

550 t +130 mm 490 mm



Apertura muy amplia
Very large opening

12" Indus.

XLCRIMP550

Accesorios para prensas • Accessories for crimping machines • Accessoires pour presses • Accessori per presse

M PE 38 NT



SPEBD N

EGN



PEDAL

Garras especiales
Special dies



CBOXPNP4/6



ON REQUEST!

These and others Production crimping machines & High capacity crimping machines available on request.

We study and value your needs and offer you customized solutions.

5

Cutting machines

Cortadoras
Trongommeuse
Schneidemaschinen

Ø Max. 50mm 2,2 Kw Ø 250 mm

YOUR LOGO



TrAde®
1" 1/4 4SP

CHMT-20 N

Ø Max. 75mm 3 Kw Ø 250 mm

YOUR LOGO



TrAde®
2" 4SP

CHM4-32 N

Ø 125mm 9 Kw Ø 520 mm



3" 6SP

TS 76

1000 c/h.

Corte automático
Automatic cutting



3/4" 2SP

MN500SW

2000 c/h.

Corte automático
Automatic cutting



Hasta 3/4" sin malla metálica

MN450

Ø min. 6 mm - max. 70 mm



Contador manguera
Hose measuring device

CON320



Disponibles múltiples
perfiles de discos
Available several
profiles blades

HOSE CUTTING BLADES

PERSONALIZACIÓN CUSTOMIZATION



TrAde®

¡Personaliza tus máquinas!
Consulta precios y cantidades mínimas

Customize your machines!
Check the price & minimum order quantity


R.P.M. 300 0.75 Kw 2"

YOUR LOGO



TrAde
2"

PB-32N



Útiles / Tools



Portaherramientas
Tool holder

2" Peladora Manual
Manual hose skiving



PMT 2

0-2500 bar



Banco de pruebas para mangueras de alta presión
Static High Pressure Hose Test Bench

3/16" hasta 2"

BE 2500

7 Bar AIR



Limpieza
Washing

Espumas de multiples tamaños
Multiples foam sizes

1/4" hasta 2"

CK50

R.P.M. 300 0.75 Kw Max. 7 Bar AIR 2"



*** con mueble**
*with furniture

Standard option

Una cuchilla
One cutter



PBC-32

Ms option

Cuchilla doble
Double cutter



Cambio rápido de útiles
Skiver with quick change tooling

PBCM-32

7 Bar AIR Max. lenght. 20 m



Máquina de limpieza de mangueras con dos cabezales de lavado
Hose cleaning machine with two flushing heads

hasta 2" ID

RG 10

7 Bar AIR Max. lenght. 2,5 m



Máquina limpieza de mangueras móvil
Mobile hose cleaning machine

hasta 1 1/4" ID

RG 2


Mordaza neumática
Pneumatic clamp



*** Opcional**
*Optional

MORDAZA N

2" (Simultaneous) R.P.M. 300 0.75 Kw




PBCMU-32

0.40 Kw 380 kg.



MESASOLDADURA165

80 t 4-100 mm +28 mm 156 mm



Prensa de pre-ensamblaje
Crimping machine for pre-assembly.
Nut crimpers

3"

PEP158


Ø min. 11,5 mm - max. 100 mm



Marcadora manual
Manual roll marking machine

MMT050

Ø min. 11,5 mm - max. 85 mm




Marcadora neumática
Pneumatic marking machine

No incluido
Not included

MNT050

Ø 50mm



straight, 45°, 90°

Introdutor rápido para racores
Manual nipple inserter

IRT50

8

Mobile workshop for hose assembly

Taller móvil para montaje de latiguillos
Bano de travail pour tuyaux flexibles
Mobile Werkstatt für Konfektionierung




PMT2

PM 18
PM 16
PM 18F

SE 28 12VDCN /
PE 38 12VDCN

CHMT-20
12VDCN

Batería · Battery



325 x 165 x 238 / 26,5 kg

9

Exhibition & Roll-Holder

Expositor y Portarrollos
Présentoir et dévidoir
Aussteller & Schlauchhaspel



Each holder max
25 kg
Total max. capacity:
250 kg

EXL



Each holder max
70 kg
Total max.
capacity: 490 kg

PRO7



Each roll max
35 kg

PCM3

UN UNIVERSO DE POSIBILIDADES
A WHOLE UNIVERSE OF POSSIBILITIES

UNIDADES DE CORTE CUT SAWING MACHINES

Configuramos la unidad de corte que mejor se adapta a tu trabajo
We configure that is best suited to your needs



MACHINES FOR RIGID TUBE

MAQUINARIA PARA TUBO RÍGIDO
MACHINES POUR TUBE
MASCHINEN FÜR ROHR

Bending machines
Dobladoras
Cintreuse
Biegemaschinen

3

1

Deburring machine
Desbarbadora
Machine à ébavurer
Entgratemaschine

R.P.M. 50 0.18 Kw Ø 6-42 mm 30 kg



S01

Útiles de desbarbado incluidos

Deburring tools included

R.P.M. 75 0.37 Kw Ø 20-75 mm



S02

Útiles de desbarbado incluidos

Deburring tools included

6 → 18 mm



Útiles incluidos
Included Tools

M186-18

Manual bending machine
Dobladora manual

6 → 42 x 4 mm



CMS42

With tool-holder cabinet
Con soporte

6 → 42 x 4 mm 1.1 Kw



C42

Electric bending machine with cabinet
Dobladora eléctrica con mueble

2

DIN 2353, JIC 37° & 90° pipe fittings assembly
Montaje racores DIN 2353, JIC 37° y 90°
Clontage de raccords DIN 2353, JIC 37° et 90°
Rohrmontage DIN 2353, JIC 37° und 90°

6 → 15 mm 12 kg



DIN 2353

USFL015MAN

6 → 42 x 4 mm



DIN 2353 JIC 37°

USFL/01 MAN

6 → 42 x 4 mm 0,75 Kw



DIN 2353 JIC 37°

USFL/01

37° 6 → 42x4 mm 90° 6 → 38x5 mm 5.3 Kw



JIC 37° 90°

USFL90

1.7 Kw max.

210 kg.

Mini
Mini



CEN-MINI

Pequeño y económico
Small & inexpensive

4.6 Kw max.


300 kg.

Max. Ø 100 mm.

Completo
Complete



CEN-JU



220 l/min.
AIR



Con corte & aire comprimido
With cutting & compressed air

Pipe fittings for bending & assembly Machines

Útiles para máquinas de doblado y montaje de racores

Outils pour cintreuse et assemblage de raccords

Werkzeuge für Biegemaschinen und Montage von Verschraubungen




Matrices de doblado
Bending tools

CUC42



Matrices JIC 37°
Tools JIC 37°

FT37



Bloque BL JIC 37°
BL Block JIC 37°

BL



DIN 2353

Machos y matrices DIN 2353
Sockets & plates DIN 2353

PLT

SU

DICSA

info@dicsaes.com
www.dicsaes.com

DISTRIBUIDORA INTERNACIONAL CARMEN, S.A.U.

Polígono Industrial Alcalde Caballero
C/Virgen del Buen Acuerdo, s/nº. 50014 Zaragoza (Spain)
Tel. +34 976 46 10 46
Fax +34 976 46 41 04

DICSA ITALIA SRL

Via Emilia Ovest 1179/c
41123 Modena (Italia)
Tel. +39 059 820 179
Fax +39 059 336 52 59
italia@dicsaes.com

DICSA AMERICA LLC

875 NE 191 STR.
STE 302 Aventura. FL 33180
Tel. 786-358-6662
Skype: america.dicsa
Whatsapp: +34 617548815
america@dicsaes.com

DICSA DEUTSCHLAND

Logististikzentrum GmSH
Thomas Dachser Str. 1 ·
76316 Malsch
(Alemania)
322 21098 096
export@dicsaes.com

DICSA LATAM

34 976 464 106
america@dicsaes.com

DICSA ASIA PACIFIC

Tel. +34 976 464 106
asia-pacific@dicsaes.com

DICSA TÜRKIYE

90 533 080 67 08
turkiye@dicsaes.com

ISO 9001
BUREAU VERITAS
Certification

